

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1430 Alexandra, Virginia 22313-1450 www.wepto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|---------------------|------------------|
| 10/565,630 | 01/24/2006 | Chatrine Stridfeldt | 1511-1044 | 2994 |
| 45.5 7591 YOUNG & THOMPSON 209 Madison Street | | | EXAMINER | |
| | | | KIDWELL, MICHELE M | |
| Suite 500 ALEXANDRI | A. VA 22314 | | ART UNIT | PAPER NUMBER |
| | ., | | 3761 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 04/24/2008 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/565,630 STRIDFELDT ET AL. Office Action Summary Examiner Art Unit Michele Kidwell 3761 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status Responsive to communication(s) filed on 2a) ☐ This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 11-23 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 11-23 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.

PTOL-326 (Rev. 08-06)

1) Notice of References Cited (PTO-892)

Paper No(s)/Mail Date 1/24/06

Notice of Draftsperson's Patent Drawing Review (PTO-948)
Notice of Draftsperson's Patent Drawing Review (PTO-948)
Notice of Draftsperson's Patent Drawing Review (PTO-948)

Attachment(s)

Interview Summary (PTO-413)
Paper No(s)/Mail Date.

6) Other:

Notice of Informal Patent Application

Application/Control Number: 10/565,630

Art Unit: 3761

DETAILED ACTION

Claim Objections

Claim 11 objected to because of the following informalities: line 5 of the claim states that the "absorbent article is adapted for use of a user..." The language does not make sense. Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 19 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

With respect to claim 19, the claim recites a minimum distance of 0,1 mm. It is unclear what the applicant intends to claim as an invention. This language is unclear and requires clarification and/or correction.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States. Application/Control Number: 10/565,630

Art Unit: 3761

Claims 11 – 23 are rejected under 35 U.S.C. 102(b) as being anticipated by Linman et al. (US 4,681,793).

With respect to claims 11 – 14, 17 – 18 and 20 – 21, Linman et al. (hereinafter "Linman") discloses a breathable backsheet comprising a water vapor permeable first layer (25) and a water vapor permeable second layer (20) for an absorbent article (10) comprising an absorbent body (30) adjacent the first layer, said absorbent article being adapted for use of a user such that the absorbent body during use faces towards the user and such that an outside of the backsheet faces away from the user (figure 2), the backsheet being water vapor permeable in a direction from the absorbent body to the outside of the backsheet, in a Z-direction (col. 6, liens 34 - 36), characterized in the backsheet comprises a condensation zone (figure 2) creating a space between the first layer and the second layer wherein the layers are fully capable of performing the recited function as set forth in figure 2. The hydrophobic distance elements comprising a number of hydrophobic particles are 21 and they are considered to be arranged to condense water vapor as set forth in col. 6, lines 5 4 - 60. Further, the structures comprise a three dimensional layer as set forth in col. 6, lines 60 - 65.

Regarding claims 15 - 16 and 22 - 23, see figure 3.

As to claim 19, the examiner contends that minimum distance is at least 0 mm because of the space provided by the protuberances as shown in figure 2.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michele Kidwell whose telephone number is 571-272-4935. The examiner can normally be reached on Monday thru Friday.

Application/Control Number: 10/565,630 Page 4

Art Unit: 3761

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tatyana Zalukaeva can be reached on 571-272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Michele Kidwell/ Primary Examiner, Art Unit 3761